



Food Program Official Inspection Report
 SISKIYOU COUNTY PUBLIC HEALTH
 & COMMUNITY DEVELOPMENT
 806 S. Main Street
 Yreka, California 96097
 ph: (530) 841-2100, fax: (530) 841-4076

Facility Name: Whiskey Row Taphouse	CMHC# 000733
Address: 325 N Mt Shasta Blvd, Mt Shasta CA 96067	
Permit Holder: Melissa Wilson	Permit To Operate: <input checked="" type="checkbox"/> Valid <input type="checkbox"/> Not Valid
Phone: 530-925-9013	E-mail: shastaflowers@yahoo.com
Food Safety Certified Employee: Melissa Wilson	Expiration Date: 06/2022

		MAJ	OUT	COS	The marked items represent Health Code violations and must be corrected as follows:	
Protection Time/ Temp.	1 Food Temp.				Routine Inspection Conducted This Date	
	2 Prep./ Service					
	3 Storage/ Disp.		X			
	4 Frozen Food					3) Observed cheese heating equipment not approved for commercial use. Obtain pre-approval for all equipment prior to use. Remove ASAP.
	5 Pure Food					
	6 Reused Food					
	7 Transportation					3) Observed personal items being stored along side food items. Keep employee items separate and in a designated location away from the food preparation to prevent cross contamination. Seperate items ASAP
Food Storage	8 Storage Fac.					
	9 Refrig. Units					
	10 Thermometer					
	11 Hazardous Mat.					
Uten./Equip.	12 Spoils					
	13 Wash/ Sanitize		X	X	13) Observed sanitizer below 200 ppm. Hold sanitizer buckets at 200 ppm. Corrected onsite.	
	14 Equip. Condition					
	15 Utensil Condition				3) Observed onions being stored on the ground. All food items must to be stored 6 inches off the ground. Move onions ASAP.	
16 Storage						
Employee	17 Handwashing					
	18 Employee Hygiene					
	19 Employee Habits					
	20 Food Cert./ Card					
Water	21 Water					
	22 Cross Con.					
Waste	23 Liquid Waste					
	24 Refuse					
Vermifir	25 Rodents/ Insects					
	26 Animal/ Fowl					
Facilities	27 Ventilation					
	28 Doors					
	29 Floors					
	30 Walls - Ceilings					
	31 Toilet Fac.					
	32 Janitorial Fac.					
	33 Lighting					
Misc.	34 Clothing - Linen					
	35 Signs					
	36 Misc.					

MAJ = Major violation OUT = Out of compliance COS = Corrected on-site

Received By (Print): Melissa Wilson	Received by (Signature):	Date: 4-12-2023
REHS (Print): Alexa Roche	REHS (Signature):	Phone: 330-841-2117