

## Food Program Official Inspection Report

## SISKIYOU COUNTY

## COMMUNITY DEVELOPMENT DEPARTMENT

Environmental Health Division

806 S. Main Street

Yreka, California 96097

ph: (530) 841-2100, fax: (530) 841-4076

Facility Name: Coatt 1/2/124 Travers High Solas CMHC# 100.73/						
Address: 237 Buttle St. Fort Jones, GA.  Permit Holder:  Permi						
Permit Holder: Permit To Operate:						
Permit Holder:  Scott Valley Junior High  Permit To Operate:  Ovalid Not Valid						
Phone: 5-20 - 468 C.C. E-mail:						
Phone: 530 - 468 - 556 E-mail:  Food Safety Certified Employee: Expiration Date:						
11/4						
Protection Time/ Temp.	١.	D1 T	MAJ	OUTICO	OS The marked items represent Health Code violations and mus	it be corrected as follows:
	2	Food Temp. Prep./ Service		+	Routine inspection  This date	is conducted
	3	Storage/ Disp.		X		
	4	Frozen Food			This date	
	5	Pure Food				
	6	Reused Food			at the state of th	
	7	Transportation				
Food Storage	8	Storage Fac.				
	9	Refrig. Units			211 -1 . 1	
	10	Thermometer			3,7) Egting atensils mu	sthe
	11	Hazardous Mat.			-3,4) Egting utensils mu dispensed out of a contain the handles upso the for sufface can not be contain	
	12	Spoils			aspensed out of a contain	werwith
Uten./Equip.	13	Wash/ Sanitize				1 / /
	14	Equip. Condition			The handles upso the too	& contact
	15	Utensil Condition	-			
	16	Storage	$\sqcup$		SUFFACE CAN NOT be CONTA	im ingted.
г Еmployee	-	Handwashing	$\vdash$	_		
	_	Employee Hygiene	$\vdash$	-		
	_	Employee Habits	-	+	_	
		Food Cert./ Card Water	$\vdash$	+		
Waste Water	21	Cross Con.	-	+	$\dashv$	
		Liquid Waste	-	+		
		Refuse	_	+	$\dashv$	
	_	Rodents/ Insects		+		
Vermir		Animal/ Fowl	_	+	-	
	27		_	+		
Facilities	28	Doors		_	7	
	_	Floors			<del>                                     </del>	
		Walls - Ceilings	,			
		Toilet Fac.		$\top$		
	32	Janitorial Fac.				
	33	Lighting				
	34	Clothing - Linen				
	35	Signs				
		Misc.				
MAJ = Major violation OUT = Out of compliance COS = Corrected on-site						
Received By (Print):  Received by (Signature):  Date:						
REHS (Print): Phone:						
REHS (Print) David Jackson Resis (Signature): Walnum 540/2023  Phone: 530 841-2/14						
The state of the s						