



### Food Program Official Inspection Report

Siskiyou County Community Development Department  
 Environmental Health Division  
 806 S. Main Street  
 Yreka, California 96097  
 phone: (530) 841-2100, fax: (530) 841-4076

Facility Name: Evergreen Elementary	Permit # 000229
Address: 416 Evergreen Ln Yreka CA 96097	
Permit Holder: Evergreen School	Permit To Operate: <input checked="" type="radio"/> Valid <input type="radio"/> Not Valid
Phone: 530-842-4912	E-mail: tmunoz@yrekausd.net
Food Safety Certified Employee:	Expiration Date:

		MAJ	OUT	COS	
					The marked items represent Health Code violations and must be corrected as follows:
Protection Time/ Temp.	1	Food Temp.			<p style="text-align: center; font-weight: bold; margin-bottom: 20px;">ROUTINE INSPECTION CONDUCTED THIS DATE</p> <p>14) Observed a bare wood platform below a shelf. Ensure the finishes to all surfaces in food prep areas to be non-porous, smooth, durable, and easily cleanable. Repair or correct within 90 days.</p> <p>30) Observed holes and paint chipping on the walls at the following location in the facility: behind handwashing station, below service counter, and dry storage. Patch the holes and ensure the finishes to be smooth, durable, nonabsorbent, and cleanable. Repair or correct within 90 days.</p> <p>20) Facility does not have a valid food safety manager. A food safety manager cannot be listed as a food safety manager at another facility. Obtain a food manager certification within 60 days.</p>
	2	Prep./ Service			
	3	Storage/ Disp.			
	4	Frozen Food			
	5	Pure Food			
	6	Reused Food			
	7	Transportation			
Food Storage	8	Storage Fac.			
	9	Refrig. Units			
	10	Thermometer			
	11	Hazardous Mat.			
	12	Spoils			
Uten./Equip.	13	Wash/ Sanitize			
	14	Equip. Condition		X	
	15	Utensil Condition			
	16	Storage			
Employee	17	Handwashing			
	18	Employee Hygiene			
	19	Employee Habits			
	20	Food Cert./ Card		X	
Water	21	Water			
	22	Cross Con.			
Waste	23	Liquid Waste			
	24	Refuse			
Vermin	25	Rodents/ Insects			
	26	Animal/ Fowl			
Facilities	27	Ventilation			
	28	Doors			
	29	Floors			
	30	Walls - Ceilings		X	
	31	Toilet Fac.			
	32	Janitorial Fac.			
	33	Lighting			
Misc.	34	Clothing - Linen			
	35	Signs			
	36	Misc.			

MAJ = Major violation    OUT = Out of compliance    COS = Corrected on-site
Received By (Print): Tawnie Munoz    Received by (Signature): _____    Date: 03/08/2024
REHS (Print): Chalyn Dewey    REHS (Signature): _____    Phone: 530-841-2112

**Facility Name:** Evergreen Elementary

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print):  
Tawnie Munoz

Received by (Signature):

Date:  
03/08/2024

REHS (Print):  
Chalyn Dewey

REHS (Signature):

Phone:  
530-841-2112

**Facility Name:** Evergreen Elementary

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print): Tawnie Munoz	Received by (Signature):	Date: 03/08/2024
--------------------------------------	--------------------------	---------------------

REHS (Print): Chalyn Dewey	REHS (Signature):	Phone: 530-841-2112
-------------------------------	-------------------	------------------------

**Facility Name:** Evergreen Elementary

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print):  
Tawnie Munoz

Received by (Signature):

Date:  
03/08/2024

REHS (Print):  
Chalyn Dewey

REHS (Signature):

Phone:  
530-841-2112