

Food Program Official Inspection Report

SISKIYOU COUNTY

COMMUNITY DEVELOPMENT DEPARTMENT

Environmental Health Division

806 S. Main Street

Yreka, California 96097 ph: (530) 841-2100, fax: (530) 841-4076

Facili	ty N	ame: Mar	bly	0	6	rounds	•			СМНС#		
Addre		11806	,	V.	M	ain st.	Fort.	Towes	CA	96032		
Permi		1.5 ho	//	E	Ut	erarica	_			Permit To Operate: □Valid □Not Valid		
Phone	: /	30-598	2 .	55	1	1.100	E-mail: Expiration Date:					
Food	Sale	ety Certified Em	ploye	e: "	2/_	Tel 10				Expiration Date:		
			1,,,,	K	Y	ISbell	1 - 1 14		1.1.41	2/202/		
		D 17	MAJ	OUT	cos					1-1001-001		
E D.	-	Food Temp.	+	\vdash		Par	+110-	11),500	orti	in conducted		
Protection Time/ Temp.	-	Prep./ Service	+-	-	-	104	INE.	TNOPE	2010	N CONSULED		
	-	Storage/ Disp.	+	\vdash		this -la	+0	•				
		Frozen Food	1	\vdash	\vdash	TINOG	16					
		Pure Food	+	-	_							
	_	Reused Food	+		\vdash	-			_			
		Transportation	+	-	_	200 1200	cia con	1-04 1	200	TO COLL class		
<u>ي</u>	ESS: it Ho e: Safe 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 Majored By	Storage Fac.	+	├		WINEPI	111. 001	een or	WI.	10 SEIT GINE		
Food Storage	\vdash	Refrig. Units	₩	\vdash		and co	1 000	11150	Lo			
S po	\vdash	Thermometer	+	-		UNO SEL	a Out	MUCC	it !			
Foc	-	Hazardous Mat.	+	-	_							
Uten./Equip.	-	<u> </u>	+									
	-		+									
	-	Equip. Condition	+	\vdash	-					12-14-1-1-1		
	\vdash	Utensil Condition	1									
Employee	-	Storage		-								
	_	Handwashing	-	\vdash								
	-	Employee Hygien Employee Habits	1		_		200					
	_	Food Cert./ Card	+		_							
h	-	Water	\vdash		_		-					
Water	_	Cross Con.	\vdash									
	-	Liquid Waste	\vdash									
Waste	-	Refuse	-	-								
	-		\vdash	X			***			The Southern South		
1 S F		Animal/ Fowl	1	- 54								
É		Ventilation	+			7						
Facilities	-	Doors	\vdash									
	-	Floors	-									
	-	Walls - Ceilings	+									
	\vdash							The state of the s		*****		
	\vdash		\vdash									
	-		+	\vdash								
Misc.												
			\vdash									
	-											
MAJ =	_		OUT =	Out o	f com	pliance COS = C	orrected on-site					
Received By (Print): Received by (Signature): Date: 6/5/24												
REHS	(Prir	Toilet Fac. Janitorial Fac. Lighting Clothing - Linen Signs Misc. Lajor violation OUT = Out of compliance COS = Corrected on-site By (Print): Received by (Signature): Date: 6/5/24										
		David	/_>	Ja	CK	SON	l l	XXVII		530-841-2114		