



Food Program Official Inspection Report
 SISKIYOU COUNTY
 COMMUNITY DEVELOPMENT DEPARTMENT
 Environmental Health Division
 806 S. Main Street
 Yreka, California 96097
 ph: (530) 841-2100, fax: (530) 841-4076

Facility Name: Quigley's General Store & R.V. Park			CMHC#	
Address: 17736 Hwy 96 Klamath River				
Permit Holder: Jack Walton & Jennifer Patino			Permit To Operate: <input type="checkbox"/> Valid <input type="checkbox"/> Not Valid	
Phone:		E-mail: J.patino13@comcast.net		
Food Safety Certified Employee: Jennifer Patino			Expiration Date: 2/2029	
The marked items represent Health Code violations and must be corrected as follows:				
Protection Time/ Temp.	1	Food Temp.		Routine inspection conducted this date.
	2	Prep./ Service		
	3	Storage/ Disp.	X	
	4	Frozen Food		
	5	Pure Food		
	6	Reused Food		
	7	Transportation		
Food Storage	8	Storage Fac.		3) observed vacuum sealer in kitchen. Reduced oxygen packaging is not allowed with-out a HACCP plan. vacuum sealer was removed during inspection
	9	Refrig. Units		
	10	Thermometer		
	11	Hazardous Mat.		
	12	Spoils		
Uten./Equip.	13	Wash/ Sanitize		14) Soup warmer must be NSF commercial unit. Provide documentation or replace with approved unit
	14	Equip. Condition	X	
	15	Utensil Condition		
	16	Storage		
Employee	17	Handwashing		
	18	Employee Hygiene		
	19	Employee Habits		
	20	Food Cert./ Card		
Water	21	Water		
	22	Cross Con.		
Waste	23	Liquid Waste		
	24	Refuse		
Vermir	25	Rodents/ Insects		
	26	Animal/ Fowl		
Facilities	27	Ventilation		
	28	Doors		
	29	Floors		
	30	Walls - Ceilings		
	31	Toilet Fac.		
	32	Janitorial Fac.		
	33	Lighting		
Misc.	34	Clothing - Linen		
	35	Signs		
	36	Misc.		
MAJ = Major violation OUT = Out of compliance COS = Corrected on-site				
Received By (Print): Wilissa Reed		Received by (Signature): <i>Wilissa Reed</i>	Date: 11/06/24	
REHS (Print): David Jackson		REHS (Signature): <i>[Signature]</i>	Phone: 530-841-2114	