Food Program Official Inspection Report



Siskiyou County Community Development Department Environmental Health Division 806 S. Main Street Yreka, California 96097

phone: (530) 841-2100, fax: (530) 841-4076

| Facility Name: Weed Elementary Permit # 000476 | | | | | | | | 3 |
|---|---------------|------------------------|----------|-------|------|--|--|------------|
| Addres | | 575 White Ave | | | A 96 | 6094 | | |
| Permit Holder: Weed Elementary Permit To Operate: Valid Not Valid | | | | | | | | |
| Phone | • | 530-938-6150 | | | | E-mail: msharp(| @weedelem.k12.ca.us | |
| Food S | Safe | ty Certified Employ | /ee: N | Maria | Sha | arp | Expiration Date: 0 | 01/2025 |
| MAJ OUT COS | | | | | | Common Co | Health Code violations and must be corrected as follow | 1 17 15 10 |
| Protection Time/ Temp. | 1 | Food Temp. | | | | | ISPECTION CONDUCTED ON THIS DATE | - |
| | 2 | Prep./ Service | | | | | | |
| | 3 | Storage/ Disp. | | | | SAT | | |
| | 4 | Frozen Food | | | | | | |
| ction | 5 | Pure Food | | | | | | |
| rotec | 6 | Reused Food | | | | | | |
| Pr | 7 | Transportation | | | | | | |
| Food Storage | 8 | Storage Fac. | L . | | | | | |
| | 9 | Refrig. Units | | | | | | |
| | 10 | Thermometer | | 3 | | | | |
| | _ | Hazardous Mat. | | | | | | |
| | | Spoils | | | | | | |
| Uten./Equip. | , seattle and | Wash/ Sanitize | | | | | | |
| | | Equip. Condition | | | | | | |
| Jten | | Utensil Condition | | | | | | |
| ٦ | | Storage | | | | | | |
| 99 | | Handwashing | | | | | | |
| Employee | | Employee Hygiene | <u> </u> | | | | | |
| Emi | _ | Employee Habits | | | | | | |
| - | 7 9 | Food Cert./ Card | - | | | | | |
| Water | | Water Cross Con. | | | | | | |
| e \ | | | | 3 | | | | |
| Waste | _ | Liquid Waste Refuse | | | | | | |
| > | - 7 | Rodents/ Insects | | | | | | |
| Vermin | | Animal/ Fowl | | | | | | |
| / | - | Ventilation | | | 9 | | | |
| 2000 | 200 | Doors | Н | Н | | | | |
| ities | 3 3 | Floors | Н | | | | | |
| Facilities | | Walls - Ceilings | | | | | | |
| | - | Toilet Fac. | Н | | | | | |
| | | Janitorial Fac. | П | Ш | | | | |
| | 33 | Lighting | | | | | | |
| Misc. | | Clothing - Linen | П | | | | | |
| | 35 | Signs | | М | | | | |
| | | Misc. | | | | | | |
| MAJ = Major violation OUT = Out of compliance COS = Corrected on-site | | | | | | | | |
| Receive | ed By | y (Print): Shanna | Мас | chad | 0 | Received by (Signature): | Date: 9/18/2024 | 1 |
| REHS (Print): Alexa Roche REHS (Signature): Phone: 530-841-2117 | | | | | | | | |

| Facility Name: | Weed Elementary | | |
|---------------------------|---------------------|---|-------------------------|
| | The marked items re | present Health Code violations and must b | e corrected as follows: |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | · · | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| Descrived Des (Date () | | Pagainad by (Sanatura) | Dete: |
| | anna Machado | Received by (Signature): | Date: 9/18/2024 |
| REHS (Print): Alexa Ro | | REHS (Signature): | Phone: 530-841-2117 |

| Facility Name: | Weed Elementary | |
|------------------------------|---|-----------------|
| | The marked items represent Health Code violations and must be corrected as follows: | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | • | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| Received By (Print): Shaı | Received by (Signature): Date on a Machado | e: 9/18/2024 |
| REHS (Print): | REHS (Signature): | |

530-841-2117

Alexa Roche

| Facility Name: | Weed Elementary | | | | | | |
|---------------------------|---------------------|--|--------------------------|--|--|--|--|
| | The marked items re | epresent Health Code violations and must b | pe corrected as follows: | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | ınna Machado | Received by (Signature): | Date: 9/18/2024 | | | | |
| REHS (Print): Alexa Ro | oche | REHS (Signature): | Phone: 530-841-2117 | | | | |