



Food Program Official Inspection Report

Siskiyou County Community Development Department
 Environmental Health Division
 806 S. Main Street
 Yreka, California 96097
 phone: (530) 841-2100, fax: (530) 841-4076

Facility Name: Yreka Chevron	Permit # 000490
Address: 200 N Main St., Yreka, CA 96097	
Permit Holder: Mountain Counties Supply	Permit To Operate: <input checked="" type="radio"/> Valid <input type="radio"/> Not Valid
Phone: 530-842-6882	E-mail: yrekachevron@mtcounties.com
Food Safety Certified Employee: N/A	Expiration Date:

		MAJ	OUT	COS		
					The marked items represent Health Code violations and must be corrected as follows:	
Protection Time/Temp.	1	Food Temp.			<p style="text-align: center; margin-bottom: 10px;">ROUTINE INSPECTION CONDUCTED THIS DATE</p> <p>14) Observed an unapproved and new soft serve Vevor ice cream equipment installed in the customer self-service area. Ensure all new equipment are pre-approved by the health department prior to purchase and installation. Discontinue use and remove machine ASAP.</p> <p>36) Observed facility has not obtain a semi-frozen/soft serve milk and permit from to sell, manufacture, or process soft serve ice cream. Per California Department of Food and Agriculture (CDFA), "A person shall not engage in the business of dealing in, receiving, manufacturing, freezing, or processing milk, or any product of milk unless a license or permit has been obtained from CDFA for the place of business. A license is required for anyone selling soft-serve ice cream, frozen yogurt, or nondairy frozen dessert." Immediately, discontinue manufacturing, processing, and selling soft serve ice cream until a permit has been obtained from CDFA Milk and Dairy program to obtain permit immediately.</p> <p>13) Observed slimy mold or build up in the ice machine. Maintain equipment in clean manner at all times. Dispose all ice and discontinue use until equipment has been washed and cleaned according to manufacture instruction.</p> <p>28) Observed numerous flies in the facility. Observed the back door entrance wide open. Ensure doors are closed at all times to prevent entrances of vermin or insects. Correct immediately. 2ND NOTICE.</p> <p style="text-align: center; margin-top: 10px;">A REINSPECTION FEE WILL BE ASSESSED FOR FUTURE NON-COMPLIANCE.</p>	
	2	Prep./ Service				
	3	Storage/ Disp.				
	Food Storage	4	Frozen Food			
		5	Pure Food			
		6	Reused Food			
		7	Transportation			
8		Storage Fac.				
Uten./Equip.	9	Refrig. Units				
	10	Thermometer				
	11	Hazardous Mat.				
	12	Spoils				
Employee	13	Wash/ Sanitize		X		
	14	Equip. Condition		X		
	15	Utensil Condition				
	16	Storage				
Water	17	Handwashing				
	18	Employee Hygiene				
	19	Employee Habits				
	20	Food Cert./ Card				
Waste	21	Water				
	22	Cross Con.				
Vermin	23	Liquid Waste				
	24	Refuse				
Facilities	25	Rodents/ Insects				
	26	Animal/ Fowl				
	27	Ventilation				
	28	Doors		X		
	29	Floors				
	30	Walls - Ceilings				
Misc.	31	Toilet Fac.				
	32	Janitorial Fac.				
	33	Lighting				
	34	Clothing - Linen				
	35	Signs				
	36	Misc.		X		

MAJ = Major violation OUT = Out of compliance COS = Corrected on-site	
Received By (Print): Jeordan Kent	Received by (Signature): _____
	Date: 10/01/2024
REHS (Print): Chalyn Dewey	REHS (Signature): _____
	Phone: 530-841-2112

Facility Name: Yreka Chevron

The marked items represent Health Code violations and must be corrected as follows:

[Empty area for listing violations and corrections]

Received By (Print): Jeordan Kent	Received by (Signature):	Date: 10/01/2024
---	--------------------------	----------------------------

REHS (Print): Chalyn Dewey	REHS (Signature):	Phone: 530-841-2112
--------------------------------------	-------------------	-------------------------------

Facility Name: Yreka Chevron

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print):
Jeordan Kent

Received by (Signature):

Date:
10/01/2024

REHS (Print):
Chalyn Dewey

REHS (Signature):

Phone:
530-841-2112

Facility Name: Yreka Chevron

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print):
Jeordan Kent

Received by (Signature):

Date:
10/01/2024

REHS (Print):
Chalyn Dewey

REHS (Signature):

Phone:
530-841-2112